


CATALOGUE

Non-Ferrous Metals

.Aluminum Products

(a) Aluminium Coil/ Foil /Aluminium Strip/ Sheet/ Plate



Aluminium Coil

ALLOY	TEMPER	SIZE (mm)			
		THICKNESS	WIDTH	LENGTH	I.D.
1***, 2***, 3***, 4***, 5***, 6***, 7***, 8***, SERIES.	O, H1*, H2*, H3*.	0.3-20	1000-1500	2000-4000	55-505

Aluminium Foil

VARIETY	ALLOY	TEMPER	SIZE (mm)	
			THICKNESS	WIDTH
APPLIANCE FOIL	8011 , 8111	O	0.01-0.02	200-700
CABLE FOIL	1050, 1145	O	0.1-0.2	200-600
PHARMACY FOIL	1235, 8011, 8111	H18, H19	0.018-0.022	400-600
AIR-CONDITIONER FOIL	1100, 8011, 3102	H22, H24, H26, H19	0.07-0.20	400-1310
CIGARATTE FOIL	1235	O	0.006-0.007	460-1320
FURTHER FABRICATING FOIL	8011	O, H22, H24, H26, H18	0.012-0.06	300-1300
ELECTRONIC FOIL	1A99, 1A97	H19	0.09-0.15	500-1000
	3003, 3001		0.02-0.05	
LITHOGTAPHIC SHEET	1050	H18	0.14-0.15	600-1470
DECORATION FOIL	1100, 3003	H18	0.026-0.15	1240-1400


Aluminium Strip

ALLOY	TEMPER	SIZE (mm)	
		THICKNESS	WIDTH
1***, 2***, 3***, 5***, 6***, 7***, 8***, SERIES	F, O, H112, H12, H14, H24, H18, H16, H26, H32, H34	0.22-3	300-1500

Aluminium Sheet/ Plate


ALLOY	TEMPER	SIZE (mm)		
		THICKNESS	WIDTH	LENGTH
1***, 2***, 3***, 4***, 5***, 6***, 7***, 8***, SERIES.	O, H1*, H2*, H3*.	0.3-20	1000-1500	2000-4000

(b) Aluminium Pipe/ Rod/ Bar




.Brass and Copper Products


(a) Brass/ Copper Sheet








(b) Copper Strips (Paper Insulating)

	<p>PAPER INSULATED COPPER STRIP is a type of winding wire made by oxygen-free copper strip or electric round aluminum strip drew or rolled by certain dimension module and then wrapped by certain insulation material. It is mainly used for oil immersed transformer, reactor, generator and other electric devices.</p>
<p>Thickness a: 1.00mm---10.00mm Width b: 3.00mm---25.00mm</p>	

(c) Brass Strips/ Copper Coils/ Copper Tube/ Brass Tube



. Lead Sheets (Pb99.994)

		
<p>We can supply the lead sheet which the thickness is 0.2-2.0mm, the width is 50-1200mm, and the length is no limit.</p>		
		
<p>Color-coated Lead Sheet is color-coated on both sides can be good attached for building and windows.</p>	<p>Corrugated Lead Sheet is used for buildings and constructions. The specification is various according to what you need.</p>	

. Aluminium Composite Panel (Polyester Coating/PVDF Coating)



V. HPL Sheet



SHANGHAI YANGMING IMP. & EXP. CORP., LTD

SHANGHAI PUDONG MAGNET WIRE FACTORY

We can provide all kinds of decoration materials according to your requirement. We can supply you the good quality with a favorable price.

If you have any question, please don't hesitate to contact us. We are ready to give you our best service. Your satisfaction is our pursuit.

Welcome your specific inquiry.

B.Regards,

NON-FERROUS METAL SALES DEPT.

Ms. Lou Laurin

yangming-group-lo@163.com